



International Equipments

Material Testing Equipment as per  
**BS • DIN • ISO • IS • ASTM**



decades of **Excellence**  
**BUILT THROUGH PRECISION**

# Heat Sealer

To Determine Suitable Sealing Parameters Of Films.



## Specification:

- **Temperature zone** : Two.
- **Controller** : Auto tuned PID controller with temperature range up to 200°C having resolution of 0.1°C.
- **Clamping Jaws** : One fixed and second movable by pneumatic action.
- **Speed** : 300 mm/minute.
- **Day light** : 50 mm.
- **Sealing dimensions** : Length 150 mm x Width 20 mm.
- **Mounting** : Table top.
- **Power requirement** : 230 Volts, 60 Hz, Single phase - 15 ampere.

\* Equipment with other capacities could also be supplied as per the requirement.

Since  
**1971**

Export to more  
than  
**50**  
Countries

More  
than  
**10000**  
Installation

Our Esteemed Clients

 <p>Reliance Industries Limited Growth is Life</p>	 <p>Volkswagen</p>	 <p>BOEING®</p>	 <p>SAMSUNG</p>	 <p>LARSEN &amp; TOUBRO</p>
 <p>FIAT</p>	 <p>TVS TVS MOTOR COMPANY</p>	 <p>हिन्दुस्तान पेट्रोलियम HP</p>	 <p>JOHN DEERE</p>	 <p>Mahindra</p>
 <p>HUNTSMAN Enriching lives through innovation</p>	 <p>Pidilite</p>	 <p>Godrej</p>	 <p>TOYOTA</p>	 <p>KABRA ExtrusionTechnik</p>
 <p>RAJOO® excellence in extrusion</p>	 <p>P&amp;G</p>	 <p>Whirlpool</p>	 <p>PRAYAG MASTERBATCHES</p>	 <p>Huhtamaki</p>



Registered Address :

**International Equipments**

35, Crescent Industrial Estate, Kanjurmarg (E),  
Mumbai - 400 042. India.

T: +91-22-25789133/ 34 • 25786635 • 25799134

E: urja\_doshi@vsnl.com

W: www.internationalequipments.com